




TFH 6430 X

Cod. **02010609**

EAN **8422248343626**



GENERAL INFORMATION

EAN/UPC	8422248343626
Subfamily	Telescopic

Product sheet according to directives EU65/2014 - EN61591, EN60704-2-13, EN50564

AEC (Annual energy consumption) (kWh/year)	13,4
EEl class (energy efficiency class)	A+
FDE (fluid dynamic efficiency)	Europe
FDE class (fluid dynamic efficiency class)	B
LE (light efficiency) (Lux/W)	18
LE class (light efficiency class)	C
GFE (grease filtering efficiency)	230
GFE class (grease filtering efficiency class)	C
Airflow in normal mode MIN (m3/h)	164,1
Airflow in normal mode MAX (m3/h)	320,4
Airflow in boost mode MIN (m3/h)	Hoods
Acoustic power in normal mode MIN (dB)	44
Acoustic power in normal mode MAX (dB)	80
Acoustic power boost mode (dB)	65pean
Po (energy consumption in off mode) (W)	0,45
Ps (energy consumption in standby mode) (W)	0

Integration directive EU 66/2014

f (time increase factor)	1,1
EEl (Energy Efficiency Index)	41,5
QBEP (maximum efficiency at air flow point) (m3/h)	164,6
PBEP (maximum efficiency at pressure point) (Pa)	Reach
WBEP (power consumption at maximum efficiency) (W)	27,9
WL (nominal power lighting system) (W)	3
EMIDDLE (Average illuminance on the cooking surface) (lux)	54

External Dimensions

Depth (mm)	320
Maximum total height (mm)	182
Minimum total height (mm)	182

Characteristics

Motor quantity	1
Motor model	EY400 395 b
Filter technology	Aluminium mesh
Control technology	Electronic Touch Control
Booster	310
Power levels	4
Timer	-
Filter saturation indicator	√
Charcoal filter replacement indicator	-
Dimmer function	√
Connectivity	No
Display	Display

Installation

Minimum distance to electric plate (mm)	\$
Minimum distance to gas plate (mm)	60cm
Recirculation option	-
Charcoal filter	CATA
Back draught shutter	No
Inner shield	Inspection Report

Electric connection

Nominal voltage (V)	220-240
---------------------	---------

Accessories

White decorative duct	C
DUAL Filter (metal + activated charcoal)	in
Activated charcoal filter	02859394
Noiseless flexible duct	02893002