




# TFH 6430 GBK

Cod. 02010409

EAN 8422248343602



## INFORMACIÓN GENERAL

|           |               |
|-----------|---------------|
| EAN/UPC   | 8422248343602 |
| Subfamily | Telescopic    |

### Product fiche according to directives EU65/2014 - EN61591, EN60704-2-13, EN50564

|   |       |
|---|-------|
| AEC (Energy consumption per year) (kWh/año)   | 13,4  |
| EEl class (Energy efficiency class)           | A+    |
| FDE (Fluid dynamic efficiency)                | 24,9  |
| FDE class (Fluid dynamic efficiency class)    | B     |
| LE (Light efficiency) (lux/W)                 | 18    |
| LE class (Light efficiency class)             | C     |
| GFE (Grease filtering efficiency)             | 79,9  |
| GFE Class (Grease filtering efficiency class) | C     |
| Normal mode airflow MIN (m3/h)                | 164,1 |
| Normal mode airflow MAX (m3/h)                | 320,4 |
| Boost mode airflow (m3/h)                     | 391,5 |
| Normal mode acoustic power MIN (dB)           | 44    |
| Normal mode acoustic power MAX (dB)           | 62    |
| Boost mode acoustic power (dB)                | 65    |
| Po (Off-mode power consumption) (W)           | 0,45  |
| Ps (Stand-by power consumption) (W)           | 0     |

### Integration directive EU 66/2014

|   |       |
|---|-------|
| f (Factor Increase in the time)                               | 1,1   |
| EEl (Energy efficiency Index)                                 | 41,5  |
| QBEP (Maximum airflow point efficiency) (m3/h)                | 164,6 |
| PBEP (Maximum pressure point efficiency) (Pa)                 | 152   |
| WBEP (Electrical power consumption at maximum efficiency) (W) | 27,9  |
| WL (Rated power lighting system) (W)                          | 3     |
| EMIDDLE (Average illuminance on the cooking surface) (lux)    | 54    |

### External Dimensions

|                           |     |
|---------------------------|-----|
| Width (mm)                | 598 |
| Depth (mm)                | 320 |
| Maximum Total Height (mm) | 182 |
| Minimum Total Height (mm) | 182 |
| Outlet Diameter (mm)      | 150 |

### Characteristics

|                                  |                          |
|----------------------------------|--------------------------|
| Motor Quantity                   | 1                        |
| Motor Model                      | EY400 395 b              |
| Filter Technology                | Aluminium mesh           |
| Control Technology               | Electronic Touch Control |
| Booster                          | √                        |
| Power levels                     | 4                        |
| Timer                            | -                        |
| Filter Saturation Indicator      | √                        |
| Charcoal Filter Change Indicator | -                        |
| Dimmer Function                  | √                        |
| Connectivity                     | No                       |
| Remote control                   | -                        |
| Display                          | Display                  |

### Lighting

|                      |       |
|----------------------|-------|
| Light Model          | SSLED |
| Lightning Technology | LED   |

### Installation

|  |     |
|--|-----|
| Minimum distance to an electric cooktop (mm) | 550 |
| Minimum distance to a gas cooktop (mm)       | 650 |

|                      |    |
|----------------------|----|
| Recirculation Option | -  |
| Charcoal Filter      | √  |
| Back Draught Shutter | No |
| Inner shield         | -  |

---

**Electric Connection**

|                                   |         |
|-----------------------------------|---------|
| Rated voltage (V)                 | 220-240 |
| Rated frequency (Hz)              | 50/60   |
| Protection against electric shock | Class I |
| Plug type                         | No plug |

---

**Accessories**

|                         |          |
|-------------------------|----------|
| Active Charcoal Filter  | 02859394 |
| Noiseless Flexible Duct | 02893002 |

---